

SANDVIK SANDVIK SANDVIK

Quality Rated Hand Tools



HAND SAWS

BOW SAWS
& BLADES

SPECIAL HAND
SAWS • DRILLS

HACK SAWS
& BLADES

CHISELS •
FILES

AXES

SCYTHES
• SCRAPERS
• HOOF KNIVES

STARTER
SPRINGS

SANDVIK Hand Saws



Sandvik Hand Saws are manufactured from Sandvik Swedish alloy steel, recognized the world over for its keen cutting qualities and toughness. A special method of uniform hardening assures exceptional sharpness and blade flexibility. Every saw is fully guaranteed against manufacturing defects. Any saw believed to be defective should be returned for examination to Sandvik Steel Inc., Finished Products Division, 1702 Nevins Road, Fair Lawn, N.J. 07410



280 SANDVIK SUPREME (FLC 2520)

The leader among quality hand saws. Ship-point pattern, mirror finish, straight back pattern and taper ground. Comfortable tough plastic handle and chrome steel side plates with 4 nickel-plated brass screws. Packed 2 saws to a carton.

Blade length	26 inches
Weight per carton	4 lbs.
Points per inch	8, 10, 11, 12 cross-cut
No. 6447 Handle only	7 oz.
No. 6132/6133 Screws	3 oz.
No. 6905/6906 Stainless Side Plates	4 oz.



271 SANDVIK GUILDMASTER (FLC 2520)

Top Sandvik quality. Ship-point pattern. Best alloy hardened and tempered Sandvik steel. Straight back, taper ground polished blade. Comfortable laminated plywood handle with 4 nickel-plated brass screws. Packed 2 saws to a carton.

Blade length	22, 26 inches
Weight per carton	3, 3½ lbs.
Points per inch	26 in., 5½ rip; 8, 10, 11, 12 cross-cut 22 in., 10, 11 cross-cut
No. 6232 Handle only	7 oz.
No. 6132/6133 Screws	3 oz.



251 SANDVIK HARDPOINT (FLC 2520)

Narrow pattern. Blade of best alloy hardened and tempered Sandvik steel. Universal (straight) teeth tips are high-frequency hardened to stay sharp 3 to 5 times longer. Modern 2 color tough plastic handle shaped to form a 45° or 90° angle with back of blade. Packed 2 saws to a carton.

Blade length	22 inches
Weight per carton	2 lbs.
Points per inch	8 pt. (straight toothing)
No. 6464 Handle only	7 oz.
No. 6132/6133 Screws	3 oz.



270 SANDVIK NORSEMAN (FLC 2520)

Fine, popular priced, all-purpose cross-cut saw. Ship-point pattern, straight back, taper ground blade. Laminated plywood handle with 4 brass screws. Packed 2 saws to a carton.

Blade length 20, 26 inches
Weight per carton 2 1/4 3 1/2 lbs.
Points per inch 26 in., 8, 10 cross-cut
20 in., 10 cross-cut

No. 6232 Handle only (26 in.) 7 oz.
No. 6238 Handle only (20 in.) 7 oz.
No. 6110/6127 Screws 3 oz.




291 SANDVIK HEAVY DUTY (FLC 2520)

Designed primarily for shoring, heavy framing and rough construction work. Special straight (universal) teeth. Regular pattern, straight back. 2 color tough plastic handle. Packed 2 saws to a carton.

Blade length 26 inches
Weight per carton 3 lbs.
Points per inch 7 (straight toothing)

No. 6465 Handle only 7 oz.
No. 6126/6127 Screws 3 oz.



756 SANDVIK (FLC 2520)

Popular saw at a "do-it-yourself" price. Blade of best alloy Sandvik steel hardened and tempered. Ship-point pattern, straight back and tooth line. Laminated plywood handle with 4 brass screws. Packed 2 saws to a carton.

Blade length 26 inches
Weight per carton 3 lbs.
Points per inch 8, 10 cross-cut

No. 6230 Handle only 7 oz.
No. 6110/6111 Screws 3 oz.



290 SANDVIK (FLC 2520)

Good quality, low-end hand saw that will out-cut, out-last and out-sell any 26 inch saw in its price range. Blade of Sandvik cold-rolled, strip-hardened steel. Full size tough grey plastic handle with 4 handle screws. Packed 10 to a carton.

Blade length 26 inches
Weight per carton 14.7 lbs.
Points per inch 8 cross-cut

No. 6459 Handle only 7 oz.
No. 6124/6126 Screws 3 oz.

SANDVIK Bow Saws and Blades




From Sandvik, the world's largest producer of bow saws, come these "Best Sellers". Blades are carefully set and filed from the finest quality Swedish alloy steel carefully hardened and tempered to give extra long life. Frames made of Swedish steel tubing unmatched for tensional strength. All Sandvik Bow Saws carry the usual Sandvik guarantee against manufacturing defects. Any item believed to be defective should be returned to Sandvik Steel, Inc., Finished Products Division, 1702 Nevins Road, Fair Lawn, N.J. 07410.

SANDVIK NO. 9 "HARD POINT" (FLC 2525)

Frame made from oval Swedish steel tubing for extra strength. Easy action, tension-lever for quick blade changing. The 3/4" patented "Hard Point" blade eliminates re-sharpening. Colorful "Tell and Sell" sleeve, plastic blade guard. Packed 5 to a carton.

Length	Weight Per Carton	Clearance
30 inches	11 lbs.	7 inches
36 inches	12.7 lbs.	8 1/2 inches
42 inches	20.8 lbs.	11 inches




30" frame sold with No. 51
"Hard Point" blade

36" and 42" frame sold with
No. 21 "Hard Point" blade

SANDVIK NO. 331 "SWIFTY" SAW (FLC 1205)

For light landscaping and pruning around the home and garden. Frame of tough Swedish steel tubing. Famous patented "Hard Point" blade and tension lever handle for simple, quick blade changing. Colorful "Tell and Sell" sleeve and plastic blade guard. Packed 5 to a carton.

Length	Weight Per Carton	Clearance
21 inches	7 lbs.	7 1/4 inches



Comes with 21" No. 51
"Hard Point" blade

SANDVIK NO. 8 (FLC 2525)


For heavy duty bucking. Oval seamless tubing frame. Easy action tension lever with 3/4" slack movement and tang-type blade fasteners for quick blade change. 3/4" "Hard Point" blade never to be refilled. Protective plastic blade guard. Packed 5 to a carton.

Length	Weight Per Carton	Clearance
30 inch	15 lbs.	7 inches
36 inches	17.1 lbs.	7 inches



30" frame sold with No. 51
"Hard Point" blade

36" frame sold with No. 21
"Hard Point" blade

**SANDVIK NO. 17 (FLC 2525)**

Frame made from round seamless Swedish steel tubing with extended handle. Light weight, well balanced. Ideal for bucking. 3/4" "Hard Point" blade never to be re-sharpened. Plastic blade guard. Packed 5 to a carton.

Length	Weight Per Carton	Clearance
30 inches	12.7 lbs.	12 inches
36 inches	14.4 lbs.	12 inches

**PROFESSIONAL BOW SAW FRAMES
(without Blade)**
(FLC 2525)

SANDVIK NO. 25L FRAME (ADJUSTABLE) For one or two man use. Adjustable for blades 42" and 48" in length. Easy-acting SANDVIK tension lever, equipped with slip proof locking device and new tang-type blade fastener. Oval shaped, seamless tubing. Packed 5 to a carton.

Weight Per Carton	22.8 lbs.
--------------------------	-----------

SANDVIK NO. 10 FRAME (NON-ADJUSTABLE) Light weight and sturdy. Oval shaped seamless tubing. New tang-type blade holders. Extending handles. Non-adjustable frame available in 2 sizes. Perfect balance. Packed in cartons of 5.

Length	42"
Weight Per Carton	20.8 lbs.

REPLACEMENT BLADES

SUPER SANDVIK NO. 51 "HARD POINT" Special induction hardened teeth. With no filing whatsoever it will cut as much wood as a conventional blade after three complete filing jobs. Peg tooth design, 3/4 in. wide. Packed in individual envelopes, 10 to a carton.

Length	Width	Weight per 10
21 inches	3/4 in.	1.4 lbs.
24 inches	3/4 in.	1.4 lbs.
30 inches	3/4 in.	1.9 lbs.



SUPER SANDVIK NO. 21 "HARD POINT" Induction hardened teeth tips eliminate sharpening or filing. Two cutting teeth to each raker plus narrower blade promotes faster cutting. Stays sharp three times longer than conventional blade. Packed in individual envelopes, 10 to a carton.

Length	Width	Weight per 10
36 inches	3/4 in.	2.1 lbs.
42 inches	3/4 in.	2.5 lbs.



SANDVIK NO. 129 AND NO. 132 Four cutting teeth to one raker tooth. Extra thin back. Precision filed teeth. Packed ten blades to a package.

No.	Length	Width	Weight per 10
129	21 in.	3/4 in.	1-1/4 lbs.
	30 in.	1 in.	1-3/4 lbs.
	36 in.	1 in.	2 lbs.
	42 in.	1 in.	2-1/2 lbs.
	48 in.	1 in.	2-3/4 lbs.
132	36 in.	1-3/8 in.	3 lbs.

**BIG 8 SPECIAL**

Includes three No. 331 x 21" Swifty Saws (complete), three No. 9 x 30" Hard Point buck saws (complete), two No. 9 x 36" Hard Point buck saws (complete) with one extra Hard Point blade for each . . . 8 of the world's finest buck saws with replacement blades. With this assortment comes a FREE, colorful, compact, reusable, metal display suitable for wall or pegboard mounting. Total shipping weight 19 lbs.

SANDVIK Specialty Hand Saws



NO. 314 SANDVIK LAMINATE SAW (FLC 2521)

Popular laminate saw especially adapted for sawing relatively thin material such as plywood, Masonite and veneer. Toothed on curved part of back to permit cutting of slots or grooves in the center of a board. Polished blade. Plastic handle. 14 points per inch. Packed two saws to a carton.

Blade length 12½ inches

Weight per carton 4 lbs.

No. 6456 Handle only 6 oz.
No. 6110/6111 Screws 3 oz.



NO. 315 SANDVIK COMPASS SAW (FLC 2522)

Best Sandvik quality. Polished blade. Stylish two-color tough plastic handle with two nickel plated brass screws. Especially designed for cutting sharp curves. All lengths furnished with 8 points per inch. Packed two saws to a carton.

Blade length

Weight per carton

12 inches

1 lb.

14 inches

1 lb.

Extra 12 in. blade only 3 oz.

Extra 14 in. blade only 3 oz.

No. 6434 Handle only 6 oz.
No. 6126/6127 Screws 3 oz.



NO. 317 SANDVIK NEST OF SAWS (FLC 2522)


Includes all the characteristically high standards of Sandvik saws. A combination of three compass saw blades, 10", 14" and 16" in length, with one handle. Polished blades slotted at the butt end for rapid changing as required. Waterproof, laminated, hardwood handle comes complete with screw and wing nut for securing blades. 8 points per inch on 14" and 16" blades, and 10 points per inch on 10" blade. Packed six sets to a carton.

Complete set carton weight

5 lbs.

Extra blades: 10" Keyhole, 14" Compass, 16" Plumbers

No. 6284 Handle only 6 oz.
No. 6310/6800 Screws 3 oz.



NO. 308 SANDVIK BACK SAW (PLC 2520)

Has heavy detachable steel back which supplies greater stiffness and holds the blade straight in the cut. For all kinds of cabinet work requiring great accuracy. Polished blade. Full control pattern plastic handle with two brass screws. Maximum cutting depth 2-7/8 in. All lengths furnished with 11 points per inch. Packed two saws to a carton.

Blade length

Weight per carton

12 inches

5 lbs.

14 inches

5½ lbs.

16 inches

6 lbs.

No. 6449 Handle only 6 oz.
No. 6110/6111 Screws 3 oz.




NO. 334 SANDVIK PRUNING SAW (FLC 1205)

Designed for the needs of the orchardist, tree surgeon, or home gardener. Made from the same high Sandvik quality material by the same discriminating craftsmen. Needle-sharp teeth, 8 points to the inch, are reversed to cut on the draw stroke. Polished blade with etched trade mark. Pistol grip plywood handle, 6 inches long. Packed ten saws to a carton.

Blade length 14 inches

Weight per carton 5 lbs.

No. 6275 Handle (Plywood) 6 oz.
No. 6120 Screws 3 oz.



NO. 300 ANITA HOUSEHOLD SAW

Ideal for cutting frozen foods, meats and for general use around the house. Blade of stainless steel. Blade and frame entirely corrosion and rust free. Comfortable, durable plastic handle. Light weight. Blade length 12 inches


Packed 5 to a carton.

Weight per carton, 2 lbs., 3 oz.

No. 301 BLADES

Packed 10 to a carton.

Weight per carton, 9 oz.



**SHOCKPROOF
CARBIDE TIP
(FLC 2613)**

SANDVIK Masonry Bits for Rotary and Percussion Drills

Heavy Duty, Double Fluted Style for Drilling Masonry, Cement Block and Concrete

The SANDVIK Super Masonry Drill is made from a tough alloyed tool steel, evenly hardened and tempered. Special shockproof carbide tip is brazed into the cutting edge and the complete drill is high gloss plated with special all weather proof coating.

These extra tough masonry drill bits are available in 4" and 6" lengths in a variety of cutting diameters to fit any job. They work equally well in a rotary or percussion type power drill device.

Each drill comes packed in its own transparent plastic packet suitable for peg board mounting. Packed 10 to a carton.

SIZES

Length	Cutting Diameter	Shank Diameter	Weight Per Carton
4 inches	3/16 in.	1/8 in.	1/2 lb.
4 inches	1/4 in.	3/16 in.	1/2 lb.
4 inches	5/16 in.	1/4 in.	3/4 lb.
4 inches	3/8 in.	1/4 in.	3/4 lb.
4 inches	1/2 in.	1/4 in.	1-1/2 lb.
6 inches	1/4 in.	3/16 in.	3/4 lb.
6 inches	5/16 in.	1/4 in.	1 lb.
6 inches	3/8 in.	1/4 in.	1-1/2 lb.
6 inches	1/2 in.	1/4 in.	2-1/4 lb.
6 inches	5/8 in.	3/8 in.	3-1/2 lb.
6 inches	3/4 in.	1/2 in.	4-3/4 lb.



SPECIAL HAND
SAWS • DRILLS

HACK SAWS
& BLADES

CHISELS •
FILES

AXES

SCYTHES
• SCRAPERS
• HOOF KNIVES

STARTER
SPRINGS

SANDVIK Hack Saws & Blades



From Sandvik's own mines comes the purest Swedish iron ore to be molded into the world's finest tool steel. The ore is refined and rolled into hack saw strips in Sandvik's own steel mills thus maintaining complete control of production from ore to finished product. Special hardening methods are employed assuring exceptional sharpness and flexibility. Any blade or frame believed to have a flaw should be returned to Sandvik Steel Inc., Finished Products Division, 1702 Nevins Road, Fair Lawn, New Jersey for examination. No replacements can be made prior to examination by us.

SILVERFLEX BLADES (FLC 2524)

A unique hardening process leaves the center portion of the blade malleable for extreme flexibility of the entire blade but provides superior hardness and durability to the cutting edge. Available with 18, 24, and 32 teeth per inch. Thickness, .025 in.

50 BLADE CARTONS

No.	Length	Teeth Per In.	Width	Weight (per 100)
3804	10 in.	18, 24, 32	½ in.	3.7 lbs.
3804	12 in.	18, 24, 32	½ in.	4.4 lbs.



HIGH SPEED BLADES (FLC 2524)

Blade made of special SANDVIK High Speed steel and heat treated to a superior hardness throughout that permits cutting of the toughest materials . . . but still malleable enough to withstand rough treatment. Available with 18, 24, and 32 teeth per inch. Thickness, .025 in.

50 BLADE CARTONS

No.	Length	Teeth Per In.	Width	Weight (per 100)
3801	10 in.	18, 24, 32	½ in.	3.8 lbs.
3801	12 in.	18, 24, 32	½ in.	4.6 lbs.



CARDED SILVERFLEX BLADES (FLC 2524)

Packed 10 cards to a carton and 2 blades to a card. Shipper contains 10 cartons or 200 blades.


No.	Length	Teeth Per In.	Width	Weight (per shipper)
3804C	10 in.	18, 24, 32	½ in.	8 lbs., 11 oz.
3804C	12 in.	18, 24, 32	½ in.	10 lbs., 11 oz.



CARDED HIGH SPEED BLADES (FLC 2524)

Packed 10 cards to a carton and 1 blade to a card. Shipper contains 10 cartons or 100 blades.

No.	Length	Teeth Per In.	Width	Weight (per shipper)
3801C	10 in.	18, 24, 32	½ in.	5 lbs., 12 oz.
3801C	12 in.	18, 24, 32	½ in.	6 lbs., 6 oz.




SANDVIK NO. 222 HACK SAW
(FLC 2524)

Frame of seamless oval, chrome plated Sandvik tubing for strength. Die cast grey iron handle designed to comfortably fit the hand. Adjustable for either 10 in. or 12 in. blade. Comes complete with 12 in. Sandvik High Speed blade. Individual colorful "tell-all" sleeve. Packed 2 per carton.

Weight per carton

3 lbs.



SANDVIK NO. 223 HACK SAW
(FLC 2524)

Frame of heavy chrome plated Sandvik steel with tough blue plastic handle with 3 handle screws. Fits even the largest hand with comfort. Designed for use with 12 in. blade only. Comes complete with Sandvik Silverflex blade and colorful "tell-all" sleeve. Packed 2 per carton.



Weight per carton

3 lbs.

SANDVIK HIGH SPEED POWER HACK SAW BLADES

(FLC 2524)

Made from specially hardened high speed alloy steel that is carefully heat treated to produce an even longer lasting cutting edge. Teeth are precision milled with absolute uniform set to insure a straight cut and smooth resulting surface. 10 blades per carton (12 in., 14 in. and 17 in.). Individually packed (18 in., 21 in., 24 in. and 30 in.).



Length	Width	Thickness	Teeth Per Inch	Weight Per 10
12 in.	1 in.	.050 in.	10, 14	2.0 lbs.
14 in.	1 in.	.050 in.	10, 14	2.3 lbs.
14 in.	1-1/4 in.	.062 in.	6, 10	3.7 lbs.
14 in.	1-1/2 in.	.075 in.	4, 6	5.0 lbs.
17 in.	1 in.	.050 in.	10, 14	2.8 lbs.
17 in.	1-1/4 in.	.062 in.	4, 6, 10	4.4 lbs.

Length	Width	Thickness	Teeth Per Inch	Weight Per 10
18 in.	1-1/4 in.	.062 in.	6, 10	4.7 lbs.
18 in.	1-1/2 in.	.075 in.	4, 6	6.3 lbs.
18 in.	1-3/4 in.	.088 in.	4, 6	9.2 lbs.
21 in.	1-3/4 in.	.088 in.	4, 6	10.1 lbs.
24 in.	1-3/4 in.	.088 in.	4, 6	12.4 lbs.
24 in.	2 in.	.100 in.	4	14.6 lbs.
30 in.	2-1/2 in.	.100 in.	4	20 lbs.

HACK SAW BLADE ASSORTMENT WITH FREE RACK DISPLAY (FLC 2524)

NO. 300HS "HIGH SPEED" HAND HACK SAW BLADE ASSORTMENT

Consists of:

- 50-only 10" x 1/2" x 18-th "High Speed" Hand Hack Saw Blades
- 50-only 10" x 1/2" x 24-th "High Speed" Hand Hack Saw Blades
- 50-only 10" x 1/2" x 32-th "High Speed" Hand Hack Saw Blades
- 50-only 12" x 1/2" x 18-th "High Speed" Hand Hack Saw Blades
- 50-only 12" x 1/2" x 24-th "High Speed" Hand Hack Saw Blades
- 50-only 12" x 1/2" x 32-th "High Speed" Hand Hack Saw Blades

Weight 13.4 lbs. (each assortment)

NO. 300S "SILVERFLEX" HAND HACK SAW BLADE ASSORTMENT

Consists of:

- 50-only 10" x 1/2" x 18-th "Silverflex" Hand Hack Saw Blades
- 50-only 10" x 1/2" x 24-th "Silverflex" Hand Hack Saw Blades
- 50-only 10" x 1/2" x 32-th "Silverflex" Hand Hack Saw Blades
- 50-only 12" x 1/2" x 18-th "Silverflex" Hand Hack Saw Blades
- 50-only 12" x 1/2" x 24-th "Silverflex" Hand Hack Saw Blades
- 50-only 12" x 1/2" x 32-th "Silverflex" Hand Hack Saw Blades


Weight 13.0 lbs. (each assortment)

NO. 300MX HAND HACK SAW BLADE ASSORTMENT

Consists of:

- 50-only 12" x 1/2" x 18-th "High Speed" Hand Hack Saw Blades
- 50-only 12" x 1/2" x 24-th "High Speed" Hand Hack Saw Blades
- 50-only 12" x 1/2" x 32-th "High Speed" Hand Hack Saw Blades
- 50-only 12" x 1/2" x 18-th "Silverflex" Hand Hack Saw Blades
- 50-only 12" x 1/2" x 24-th "Silverflex" Hand Hack Saw Blades
- 50-only 12" x 1/2" x 32-th "Silverflex" Hand Hack Saw Blades

Weight 13.7 lbs. (each assortment)



HACK SAWS
& BLADES

CHISELS
FILES

AXES

SCYTHES
SCRAPERS
HOOF KNIVES

STARTER
SPRINGS

SANDVIK Fish & Hook Brand Chisels



Designed for the professional, yet priced to suit every budget, this new, popular line of chisels is offered with the following features.

BLADE

The "Fish & Hook" trademark means the blade is made from the finest Swedish tool steel with the correct hardness for a tough, longlasting edge. The blade (4" in length) has a professional full bevel pattern and is coated with a clear plastic that prevents rust.

HANDLE

The new, flat shape permits better work control and more comfortable grip. The handle is made of a special tough, unbreakable, black plastic compound.



PACKAGING

Each chisel has its own individual display package for peg board or rack mounting. The orange and black design is colorful and eye-appealing to attract sales and yet offers ample edge protection.

Cat. No.	Size	Overall Length	Standard Pack	Weight Standard Pack
423-6	1/4 in.	8-3/4 in.	4	1-1/4 lbs.
423-12	1/2 in.	8-3/4 in.	4	1-1/2 lbs.
423-19	3/4 in.	8-3/4 in.	4	1-1/2 lbs.
423-25	1 in.	8-3/4 in.	4	1-3/4 lbs.
423-32	1-1/4 in.	8-3/4 in.	4	1-3/4 lbs.
423-38	1-1/2 in.	8-3/4 in.	4	2 lbs.



(FLC 2496)



CHISEL SETS IN ROLLS (FLC 2496)

423/6K contains one 423 chisel in each of the following widths: 1/4", 1/2", 3/4", 1", 1 1/4", 1 1/2" complete with tough fabric roll. Weight per roll complete 2 1/4 lbs. each.

423/3K contains one 423 chisel in each of the following widths: 1/4", 1/2" and 1", complete with tough fabric roll. Weight per roll complete, 1 lb.

Empty Kits

423/3R, 3 pocket roll: 423/6R, 6 pocket roll, Weight each 1/4 pound.



423/WD Assortment

With the purchase of one dozen chisels (2 of each size) Sandvik will include, FREE, a colorful, sturdy, display rack for counter or peg board. Shipping weight of display and assortment, 5 lbs.

SANDVIK Chain Saw Files

This popular production chain saw file is made from the finest file steel noted for its natural hardness and superior cutting power. Even cutting and long life are assured because the most modern methods of heat treating are employed. Every Sandvik Special file is checked and controlled

from the raw steel to the finished file. Every finished file is inspected and tested for cutting qualities and temper before it leaves the factory. Any item believed to be defective should be shipped to Sandvik Steel, Inc., Finished Products Division, 1702 Nevins Road, Fair Lawn, N.J. 07410. No replacements can be made prior to examination by us.


SANDVIK ROUND CHAIN SAW FILE (FLC 2511)



Sold in a colorful free self display plastic "Twin-Pac" containing two files each. Packed in cartons of 6 "Twin-Pacs" (12 files).

No	Length	Diameter	Weight Per Carton
165-61	6 inches	1/8 in.	10 oz.
165-71	6 inches	5/32 in.	12 oz.
165-13	8 inches	3/16 in.	2 lbs.
165-43	8 inches	13/64 in.	2 lbs.
165-23	8 inches	7/32 in.	2-1/2 lbs.
165-33	8 inches	1/4 in.	3 lbs.
166-24	8 inches		

SANDVIK DEPTH GAUGE FILE (FLC 2511)



(NO. 166-24)

Designed for precise lowering of depth gauges to leave smooth, long wearing surface. Also for filing scratcher type chains. Two round uncut edges. Comes in individual colorful plastic, self-display envelope. Length 6 inches. Shipping weight, per carton 1-1/2 lbs. Packed in cartons of 12

SANDVIK Campers Axes

These lightweight axes, have heads of carefully forged, fully ground, tough SANDVIK steel. Head permanently bonded to the oval shaped smooth, non-splintering birch handle ... it can't come loose.

Every axe is available with a rugged plastic head sheath with handle for carrying or wall hanging and slots for carrying on belt.



Head painted in attractive Sandvik orange.

SPECIFICATIONS


Model	Handle Length	Weight Each
421-1 "Camper"	15 in.	1 1/4 lbs.
421-1-S "Camper" (with sheath)	15 in.	1 1/4 lbs.
421-3 "Woodsmen"	28 in.	2 1/4 lbs.
421-3-S "Woodsmen" (with sheath)	28 in.	2 1/4 lbs.

Model 421-1 packed 12 to carton - shipping weight 22 lbs., 8 oz.

Model 421-3 packed 10 to carton - shipping weight 34 lbs., 4 oz.



**421-3-S
WOODSMAN
(FLC 2470)**



421-1-S CAMPER (FLC 2471)



The SANDVIK Bush Axe has a tough, durable cutting blade that enables it to slice through young springy saplings. It is the answer to one of the woodsman's most troublesome hazards . . . injury with his axe as a result of its deflection by tough, resilient young stems.

Because the SANDVIK Bush Axe is light-weight, it cuts faster and easier with less fatigue than an ordinary axe or machete. It can cut through a 3" stem with less effort and its overall length of 28" and general design makes it great for cutting from awkward positions low to the ground or high overhead. Its correct balance makes it ideal for one hand cutting while holding the stem or other brush aside.

Swedish steel, 7" replaceable blades are finely honed and razor sharp. Extra blades can be conveniently carried in the pocket and quickly changed in the field.


SANDVIK No. 1 Bush Axe

for clearing brush
and saplings . . .


easier, faster,
safer . . .



INSERTING
BLADE



REMOVING
BLADE



SPECIFICATIONS

BUSH AXE COMPLETE

Overall length 28 in.
Weight each 2.2 lbs.

EXTRA BLADES

Length 7 1/4 in.
Packed 10 to a carton
Weight per carton 2 lbs.

EXTRA HANDLES

Length 21 in.
Packed 60 to a carton
Weight per carton 45 lbs.

AXES


SCYTHES
• SCRAPERS
• HOOF KNIVES

STARTER
SPRINGS

Sandvik Steel CABINET SCRAPERS

This scraper blade is designed for use in a scraper plane or can be used by hand. The blade is made from a specially hardened and tempered Sandvik steel and is available in two sizes and two gauges. Packed 10 to a carton.

Number	Size	Gauge	Weight Per Carton
No. 474	5" x 2-1/2"	23	15 oz.
No. 474	5" x 2-1/2"	21	15 oz.
No. 474	6" x 2-1/2"	21	1 lb., 6 oz.




Sandvik Steel HOOF KNIVES

These knives have blades of "laminated" steel . . . a layer of specially hardened steel fused between two layers of malleable steel. Blades are firmly set in handles of tough birch. Available for right or left hand use. Packed 10 to a carton.

No. 180 (right hand) blade length 2-3/4 in. Weight per Carton 1-1/2 lb.

No. 171 (left hand) blade length 2-3/4 in. Weight per Carton 1-3/8 lb.

No. 188 Double edge length 3 in. Weight per carton 1-1/2 lbs.



Skillful tempering of the finest Swedish Steel has made these scythes famous the world over. The famous fusing method of construction forms a blade which holds an edge much longer than ordinary blades. Sharpening is simple. The hard center can be felt on the stone when reached. All scythes are designed to fit any American snath and are warranted to hold their cutting edge and guaranteed against manufacturing defects.

Swedish Steel SCYTHES

FLC 1221

(All scythes packed 12 to a carton)



NO. 24 BRUSH SCYTHE

Popular, low cost brush scythe. For cutting underbrush. Although lighter than the No. 25, it is exceptionally rugged and will give years of service. Heel width, 3 inches.

	Length	Weight per carton
No. 24	20 in.	20-1/2 lbs.



NO. 25 BRUSH SCYTHE

Extra heavy design with solid ribbed back; rugged construction, and wide blade for cutting bushes and underbrush. Heavy shank is more rigid than ordinary weed scythes. Heel width, 3 1/2 inches.

	Length	Weight per carton
No. 25	18 in. 20 in.	26-1/2 lbs. 27 lbs.



NO. 9 FINNISH HAAPAVESI PATTERN

Extremely light and narrow grass scythe. Reinforced back gives extra rigidity. Heel width, 1 1/2 inches.

	Length	Weight per carton
No. 9	28 in. 30 in.	18-1/2 lbs. 19 lbs.



NO. 11 DUTCHMAN PATTERN

Outstanding combination grass and weed scythe with popular Dutch heel. Ribbed back to withstand hard, rough handling. No excess weight, and perfectly balanced. Heel width, 2 1/4 inches.

	Length	Weight per carton
No. 11	24 in. 26 in. 28 in. 30 in.	20-1/2 lbs. 21 lbs. 21-1/2 lbs. 22 lbs.



NO. 5 SWEDISH LIGHT PATTERN

Wide, reinforced heel to handle the toughest of grass. Designed to cut close to ground and is recommended because wide heel causes grass to fall forward in place. Width at heel, 3 3/4 inches.


	Length	Weight per carton
No. 5	26 in. 28 in. 30 in.	19 lbs. 19-1/2 lbs. 20 lbs.

NOTES

SANDVIK Starter Springs


Sandvik has available from stock, Starter Springs made from the finest tempered spring steel to meet manufacturers' specifications. All springs are available for immediate delivery* and quantity discounts from 100 to 2500 are available. Orders for combined quantities will be accepted.

LAWNMOWERS




MANUFACTURER	PART NO.	SIZE
LAWN BOY	*604257	187" x .024" x 101"
	*602610	5/16" x .028" x 72"
CLINTON	263-79	1/4" x .020" x 67"
	265-001-50	1/4" x .020" x 66"
LAWSON	31278	5/16" x .025" x 84"
JACOBSON	327297	5/16" x .025" x 80"
	313669	5/16" x .025" x 96"
BRIGGS AND STRATTON	*294303	1/4" x .025" x 91-3/4"
	*293046	1/4" x .015" x 91-1/2"

SNOWMOBILES




MANUFACTURER	PART NO.	SIZE
HIRTH	*165A20	.390" x .036" x 11"
	*15B18	.390" x .032" x 10' 1"
JLO	*252-41-429-21	.392" x .032" x 16' 7"
SACHS	*1439-010-001	.392" x .036" x 13' 2"
ROTEX	*4025022	.315" x .020" x 11' 8"
KOHLER	*3308904	5/16" x .028" x 101"
KIEKHAEFER	24-57118	3/4" x .028" x 190"
YAMAHA	*12-0010-40	5/16" x .031" x 12'
	*802-15713-00	5/16" x .031" x 12'

CHAINSAWS




MANUFACTURER	PART NO.	SIZE
McCULLOCH	*PT 83334	1/4" x .020" x 100"
	*PT 83078	3/16" x .020" x 80"
	*PT 51665	3/8" x .020" x 81"
	*PT 36059	1/4" x .020" x 100"
	*PT 68626	1/4" x .020" x 80"
	*PT 69074	3/16" x .020" x 100"
LOMBARD	*6-1142	1/4" x .018" x 216"
POULAN	*PT 4262	1/4" x .018" x 153"
	*PT 4223	5/16" x .020" x 110"
	*PT 42012	.187" x .022" x 151"
WRIGHT	627527	1/4" x .023" x 110"
STIHL	*1113-195-1600	1/4" x .020" x 126"
	*1111-195-1600	5/16" x .020" x 96"
PIONEER	*427771	1/4" x .018" x 188"
	*602610	5/16" x .028" x 72"
FAIRBANKS MORSE	*14-020-035	1/4" x .023" x 9'
	14-020-117	1/4" x .023" x 9'
ECHO	CSL 80A	.270" x .025" x 10'
	CS 60S	.218" x .024" x 126"

OUTBOARDS



MANUFACTURER	PART NO.	SIZE
MCCULLOCH	3645-4128	3/8" x .042" x 90"
	4644 128	3/8" x .033" x 6' 7-1/2"
KIEKHAEFER	24-30753	5/16" x .028" x 112"
	24-24081A1	3/8" x .025" x 12'
CHRYSLER	211970	
EVINRUDE	277A2957	1/4" x .023" x 171-1/2"
JOHNSON	307573	3/8" x .032" x 87-3/4"
	355386	3/8" x .042" x 92"

*Indicates STOCKING items. Delivery on NONSTOCKING items would be approximately 8-10 weeks after receipt of purchase order.



From SANDVIK...STEEL TO SHAVE THE WORLD!

For over thirty years Sandvik has been the largest supplier of high quality razor blade steel, not only for the leading American razor blade manufacturers, but also for the razor blade industry the world over. Our leadership is not a mere stroke of luck. It is backed by concentrated and intensive research. □ Our Steel Research Center is continually creating and testing new steel grades, heat treating and hardening processes. Sandvik is the world's leading producer of spring steel, power springs, welding wire, tubing and pipe, steel belt conveyors and tungsten carbide metal cutting tools.

SANDVIK ALSO
MANUFACTURES THE
WORLD'S FINEST HANDSAWS



SANDVIK STEEL, INC.
FINISHED PRODUCTS DIVISION

Manufacturers of:

Hand Saws

Bow Saws

Bow Saw Blades

Specialty Hand Saws

Masonry Drills

Hack Saws

Hack Saw Blades

Chisels

Files

Axes

Scythes

Hoof Knives

Cabinet Scrapers

Starter Springs

SANDVIK

Corporate Headquarters—1702 Nevins Road, Fair Lawn, New Jersey 07410/Tel. 201-797-6200

SANDVIK PACIFIC, INC.

Corporate Headquarters—2311 Pullman Avenue, Santa Ana, California 92705/Tel. 714-557-2062 / 213-485-9083

